

**ENERGIE RINNOVABILI**

**DORIMI**  
Tools & Fixing Solutions



Ci occupiamo da più di 30 anni di commercio internazionale. Con la globalizzazione del commercio mondiale, agiamo come consulente tecnico commerciale per la ricerca di prodotti nei paesi emergenti. Seguiamo passo per passo per conto del cliente tutte le fasi dalla trattativa alla consegna. Prima della spedizione ogni lotto viene ispezionato e controllato da nostro personale altamente qualificato. I nostri clienti riceveranno un dettagliato rapporto di ispezione per poter verificare lo stato della merce. La fatturazione delle merci avviene direttamente fra la fabbrica ed il cliente.

*We deal with international trade from more than 30 years.*

*With the world market globalization we act as technical and commercial advisor for the products searching in the emergings markets. We follow step by step all stages from negotiation to delivery for the customer. Before the delivery each batch production is inspected and supervised by our highly qualified staff. Our customers will receive a detailed inspection report to verify the status of the goods. The billing of goods takes place directly between the supplier and the customer*

Per quanto riguarda le energie rinnovabili siamo in grado di fornire consulenza e assistenza all'importazione diretta:

*As for renewable energy, we are able to provide advice and assistance in direct imports of:*

- *Pannelli solari monocristallini*
- *Pannelli solari policristallini*
- *Pannelli solar a film sottile*
- *Pannelli BIPV*
- *Inverters*
- *Strutture di montaggio*
- *Monocrystalline solar modules*
- *Polycrystalline solar modules*
- *Thin film solar modules*
- *BIPV solar modules*
- *Inverters*
- *Mounting systems*



## WORLDWIDE ENERGY AMERISOLAR



### TIPOLOGIE:

AS-5M  
monocrystallini 170Wp / 200Wp  
Dimensioni: 1580x808x46mm

AS-6M30  
monocrystallini 200Wp / 245Wp  
Dimensioni: 1650x991x46mm

AS-6P30  
policristallini 200Wp / 240Wp  
Dimensioni: 1650x991x46mm

AS-6P  
policristallini 250Wp / 285Wp  
Dimensioni: 1956x992x50mm

**GARANZIE PRODOTTO**  
10 anni

**GARANZIE POTENZA**  
90% 10 anni  
80% 25 anni

### SIZE:

AS-5M  
monocrystalline 170Wp / 200Wp  
Size: 1580x808x46mm

AS-6M30  
monocrystalline 200Wp / 245Wp  
Size: 1650x991x46mm

AS-6P30  
polycrystalline 200Wp / 240Wp  
Size: 1650x991x46mm

AS-6P  
polycrystalline 250Wp / 285Wp  
Size: 1956x992x50mm

**PRODUCT WARRANTY**  
10 years

**POWER WARRANTY**  
90% 10 years  
80% 25 years

### CERTIFICATI / CERTIFICATES

### CERTIFICATI / CERTIFICATES



**AMPLESUN**

## AMPLESUN

**TIPOLOGIE:**

ASF100 Film sottile 100Wp  
 Dimensione: 1414x1114x37,5mm  
 Tolleranza: +/-5%

**GARANZIE PRODOTTO**

5 anni

**GARANZIE POTENZA**

90% 10 anni  
 80% 25 anni

**SIZE:**

ASF100 Thin film 100Wp  
 Size: 1414x1114x37,5mm  
 Tolerance: +/-5%

**PRODUCT WARRANTY**

5 years

**POWER WARRANTY**

90% 10 years  
 80% 25 years

**CERTIFICATI / CERTIFICATES****CERTIFICATI / CERTIFICATES**

v. 1/2011

## GE SOLAR

## GE SOLAR

**GESOLAR™**  
Build and Beyond

**TIPOLOGIE:**

**GES-M**  
monocrystallini 175Wp / 250Wp  
Dimensioni:  
175Wp / 195Wp 1580x808x35mm  
205Wp / 225Wp 1482x992x42mm  
230Wp / 250Wp 1640x992x42mm

**GES-P**  
policristallini 175Wp / 290 Wp  
Dimensioni:  
175Wp / 195Wp 1320x992x35mm  
200Wp / 220Wp 1482x992x42mm  
225Wp / 245Wp 1640x992x42mm  
270Wp / 290Wp 1956x992x50mm

**GARANZIE PRODOTTO**

5 anni

**GARANZIE POTENZA**

90% 10 anni  
80% 25 anni

**SIZE:**

**GES-M**  
monocrystalline 175Wp / 250Wp  
Sizes:  
175Wp / 195Wp 1580x808x35mm  
205Wp / 225Wp 1482x992x42mm  
230Wp / 250Wp 1640x992x42mm

**GES-P**  
polycrystalline 175Wp / 290 Wp  
Sizes:  
175Wp / 195Wp 1320x992x35mm  
200Wp / 220Wp 1482x992x42mm  
225Wp / 245Wp 1640x992x42mm  
270Wp / 290Wp 1956x992x50mm

**PRODUCT WARRANTY**

5 years

**POWER WARRANTY**

90% 10 years  
80% 25 years

## CERTIFICATI / CERTIFICATES

## CERTIFICATI / CERTIFICATES



# SUNLINK

## SUNLINK



**TIPOLOGIE:**

SL220-20M  
monocristallini 220Wp / 245Wp  
Dimensioni: 1652x1000x50mm

SL220-20P  
policristallini 220Wp / 240 Wp  
Dimensioni: 1652x1000x50mm

**GARANZIE PRODOTTO**

10 anni

**GARANZIE POTENZA**

90% 10 anni  
80% 25 anni

**SIZE:**

SL220-20M  
monocrystalline 220Wp / 245Wp  
Size: 1652x1000x50mm

SL220-20P  
polycrystalline 220Wp / 240 Wp  
Size: 1652x1000x50mm

**PRODUCT WARRANTY**

10 years

**POWER WARRANTY**

90% 10 years  
80% 25 years

**CERTIFICATI / CERTIFICATES**

**CERTIFICATI / CERTIFICATES**



## SUNRISE SOLARTECH



### TIPOLOGIE:

SR-M  
monocristallini 175Wp / 310 Wp  
Dimensioni:  
175Wp / 205Wp 1580x808x35mm  
200Wp / 230 1481x992x50mm  
275Wp / 310Wp 1958x992x50mm

SR-P  
policristallini 210Wp / 295Wp  
Dimensioni:  
210Wp / 240Wp 1637x992x50mm  
265Wp / 295Wp 1958x992x50mm

### GARANZIE PRODOTTO

5 anni

### GARANZIE POTENZA

90% 10 anni  
80% 25 anni

### SIZE:

SR-M  
monocrystalline 175Wp / 310 Wp  
Sizes:  
175Wp / 205Wp 1580x808x35mm  
200Wp / 230 1481x992x50mm  
275Wp / 310Wp 1958x992x50mm

SR-P  
polycrystalline 210Wp / 295Wp  
Sizes:  
210Wp / 240Wp 1637x992x50mm  
265Wp / 295Wp 1958x992x50mm

### PRODUCT WARRANTY


5 years

### POWER WARRANTY

90% 10 years  
80% 25 years

### CERTIFICATI / CERTIFICATES

### CERTIFICATI / CERTIFICATES





# SUNGROW INVERTERS

## SUNGROW INVERTERS



CERTIFICATI / CERTIFICATES

### TIPOLOGIE:

SG3KTL Inverter 3KW  
 SG4KTL Inverter 4KW  
 SG5KTL Inverter 5KW  
 SG30K3 Inverter 30KW  
 SG50K3 Inverter 50KW  
 SG100K3 Inverter 100KW  
 SG250K3 Inverter 250KW  
 SG500KTL Inverter 500KW

**GARANZIE PRODOTTO**  
 5 anni

### SIZE:

SG3KTL Inverter 3KW  
 SG4KTL Inverter 4KW  
 SG5KTL Inverter 5KW  
 SG30K3 Inverter 30KW  
 SG50K3 Inverter 50KW  
 SG100K3 Inverter 100KW  
 SG250K3 Inverter 250KW  
 SG500KTL Inverter 500KW

**PRODUCT WARRANTY**  
 5 years

# DK5940

CERTIFICATI / CERTIFICATES

**CE DK5940**



ITALWARMI SRL - Via Angelo Moro 61 - 20097 San Donato Milanese MI - Italy - [italwarmi@italwarmi.it](mailto:italwarmi@italwarmi.it) - +39.02.51.62.13.75



# SERVIZIO ISPEZIONE INSPECTION SERVICE

ENERGIE RINNOVABILI

ITALWARMI SRL

ENERGIE RINNOVABILI

SERVIZIO ISPEZIONE  
SERVICE

INSPECTION

SERVIZIO ISPEZIONE  
SERVICE

INSPECTION

Il servizio prevede il controllo dei pannelli solari negli stabilimenti di produzione prima della spedizione della merce. I controlli sono eseguiti dalla nostra società da personale esterno alla fabbrica che fornisce un report di ispezione con documentazione fotografica. I controlli vengono effettuati in base alla scheda tecnica ed eventualmente integrati da richieste del cliente.

This service foresees the solar modules checking in the production factory before the delivery of the goods. The checking is made by our company through external company that submit an inspection report with photographic documentation. The checking is carried out following the data sheet and eventually integrated by customer request.

This service foresees the solar modules checking in the production factory before the delivery of the goods. The checking is made by our company through external company that submit an inspection report with photographic documentation. The checking is carried out following the data sheet and eventually integrated by customer request.

- Controllo dei parametri elettrici
- Controllo delle quantità
- Controllo dimensionale
- Controllo dei parametri elettrici
- Controllo delle scatole di giunzione
- Controllo delle certificazioni
- Controllo degli imballi
- Electrical parameters checking
- Quantity checking
- Dimensional checking
- Electrical parameters checking
- Junction box checking
- Certifications checking
- Packing checking



## CONDIZIONI DI VENDITA

- **Ordini**  
Vengono accettati alle condizioni sotto firmate, per qualsiasi specie, nel caso di ritardi o pattuizioni diverse ma solo se confermate per iscritto. salvo cause diverse.
- **Resi di merce**  
Eventuali resi di merce per titolo diverso vengono accettati con noi concordati. In ogni caso, i resi dovranno essere spediti al mittente con trasporto adeguate.
- **Quantità e fatturazione minime**  
Sono quelle delle confezioni indicate per preventivamente concordate con noi. Ordini non corrispondenti ad esse, non saranno accettati. In caso di ordini multipli, sono automaticamente adeguati al cliente.  
Fatturazione minima € 150,00.
- **Garanzia**  
La qualità dei prodotti Dorimi è garantita. Vengono quindi sostituiti gratuitamente, o i pezzi difettosi ma non quelli che risultano logorati, errati o scaduti. Vengono sostituiti gratuitamente, o i pezzi difettosi ma non quelli che risultano logorati, errati o scaduti. Vengono sostituiti gratuitamente, o i pezzi difettosi ma non quelli che risultano logorati, errati o scaduti.
- **Spedizione e reclami**  
Le spedizioni sono effettuate franco destinazione, salvo i trasporti. I reclami per danni alla merce, dovranno essere inoltrati per iscritto entro 8 giorni dal ricevimento della merce. **Tutti i prodotti presenti in questo catalogo possono subire delle variazioni senza preavviso in qualsiasi momento.**
- **Termini di consegna**  
I termini di consegna non sono mai subordinati alla disponibilità. Il cliente non potrà pertanto pretendere parziale o totale dell'ordine, ne rifiuto.
- **Termini di pagamento**  
I pagamenti sono dovuti a scadenza stabilita. I pagamenti a breve vanno effettuati direttamente alla nostra autorizzazione. I pagamenti a breve vanno effettuati direttamente alla nostra autorizzazione. I pagamenti a breve vanno effettuati direttamente alla nostra autorizzazione.
- **Termini di consegna**  
I termini di consegna non sono mai subordinati alla disponibilità. Il cliente non potrà pertanto pretendere parziale o totale dell'ordine, ne rifiuto.
- **Termini di pagamento**  
I pagamenti sono dovuti a scadenza stabilita. I pagamenti a breve vanno effettuati direttamente alla nostra autorizzazione. I pagamenti a breve vanno effettuati direttamente alla nostra autorizzazione. I pagamenti a breve vanno effettuati direttamente alla nostra autorizzazione.

DORIMI S.r.l.  
Via Meucci, 24 - 20090 Buccinasco (MI)  
Tel. 02.45.70.84.43 r.a. - Fax 02.45.70.84.35  
e-mail:info@dorimi.it - www.dorimi.it